

# Multi Functional Industrial Automatic Inkjet Printer For Bottles Or Cans

## Specifications :

Brand Name	Hanyi
Place of Origin	Shanghai, China
Min.Order Quantity	1unit
Payment Terms	T/T
Delivery Detail	5 days - 20 days
Packaging Details	Standard export wooden case or carton box.

## Detail Introduction :

### Automatic Inkjet Printer

#### Economical inkjet printer

Using quick-drying ink, excellent adhesion, suitable for the surface of various materials, such as film, glass, metal, plastic, PE, PVC, paper, wood, rubber, etc. In addition, for the requirements of different industries, we provide different inks, including standard inks, pigment inks, edible inks, gasoline-resistant inks, UV inks, etc.



Basic technical parameters

Printing ink: black, blue, red, yellow and other colors can be selected

Ink consumption: can print 70 million characters/liter (5×7)

Temperature range: 5-45?

Humidity range: below 90%

Gross weight of the whole machine: 30KG

Dimensions: 246×338×550mm

Power requirements: AC220V 50HZ 100VA

Number of printing lines: 1~3 lines

Printing dot matrix: 6, 8, 10, 12, 16, 24 dot matrix font, any dot matrix within 24×24

Chinese fonts: 16×16 Simplified Song, Traditional Song, Simplified Black, Simplified Kai, 24×24

Simplified Song and 32 dot matrix customization

Storage information: 1000 pieces of printing information can be stored

Printing speed: 900 characters/sec (5×7)

Printing height: 1.5mm~20mm adjustable, maximum width can be 9 times

Operation interface: Chinese menu display, with own graphic editing function


Chinese support: built-in international first and second Chinese character libraries

Chinese input: Pinyin input method, location input method, code input method

Printing content: automatic printing date, time, batch number, serial number, etc.

Printing materials: metal, plastic, glass, wood, pipelines and building materials surfaces can be printed

Printing distance: maximum 20mm from the nozzle to the surface of the object



Machine sample pictures (for reference only)