

High Speed Economic Automatic Food Packages Inkjet Printer / Expiry Date Coding Machine

Specifications :

| Brand Name | Hanyi |
|--------------------|--|
| Place of Origin | Shanghai, China |
| Min.Order Quantity | 1unit |
| Payment Terms | T/T |
| Delivery Detail | 5 days - 20 days |
| Packaging Details | Standard export wooden case or carton box. |

Detail Introduction :

High Speed Economic Automatic Food Packages Inkjet Printer / Expiry Date Coding Machine with Smart Cartridge

Description:

We have a rich product line of automatic code-spraying equipment, among which small character code-spraying machine is more widely used in food packaging boxes, bags, bottled food and other pre-packaged food.

In supermarkets, you can see a lot of information about the date of production, shelf life and expiry date of food packaging bags.





Feature

- 1. Quick-dry ink used industrial non-contact small character inkjet printers.
- 2. Embedded ink system, less ink leakage.
- 3. Print features include TEXT, DATE, TIME, BATCH NUMBER, LOGO AND TRADEMARK.
- 4. Max. speed can reach 280m/min.
- 5. Two-way cleaning, run smoother.
- 6. Easy to be integrated at any position of the production line
- 7. Economic and can satisfy most printing requirements
- 8. Full automatic viscosity and pressure control
- 9. Error proofing design to differentiate the ink and solvent
- 10. Electronic control system completely separated design from hydraulic system
- 11. Compatible design, maintenance friendly



Specification

| CIJ Inkjet Printer | HY-V150 Pro |
|-----------------------------|---|
| Max Print Speed | 280m/min (5*7 dots) |
| Printable Font Height | 1.5 mm~20mm. Maximum can be widened 9 times |
| Dot Matrix | 24 * 24 dot matrix |
| Memory Capacity | Up to 1000 messages |
| Printing Line | Within 3 Lines |
| Printer Content | Time, Date, Lot No, Serial No. etc. |
| Operate Interface | Chinese, English, Korean and others with graphic editing function |
| Print Material | Metal, plastic, glass, wood, tube, electrical wire, cable etc. |
| Print Distance | Max: 30mm, from printhead bottom to substrate surface |
| Ink Color | Black, blue, red etc |
| Ink Consumption | 70 million character per litre |
| Power | AC220V /380V 50HZ 100W |
| Printhead Throat Length | 2.7m (Customizable) |
| USB and RS232 Port | With USB port, but no RS232 port |
| Environment Temperature | 5?-45? |
| Humidity | Below 90% |
| Machine Dimension | 387 * 270 * 507mm |
| Package in wooden dimension | 625 * 455 * 730mm |
| NW,/GW. | 30kgs / 40kgs |
| Display and Keyboard | 8-inch full-color high-definition touch screen, and full-touch virtual keyboard |
| | |



FAQ:

- **Q: Is the machine easy to operate?**
- A: English Service Manual, 24-7 hours online support.
- **Q: What about the ink consumption?**
- A: Depending on the printing content and daily capacity.
- Q: After-sales support when machine goes wrong?

A: Providing us a video to demonstrate the problem. Our engineer team will test and provide a professional solution. If the parts are non-artificial damaged part and within the warranty period, we will send free parts to you under our cost.

Q: What about your service?

A: We offer 7*24 hours online service, feel free to contact us.

Shanghai Hanyi Engineering Equipment Company is an experienced supplier of inkjet printers and solutions in China.