

Weight Grading and Sorting Machine

Özellikler :

FiyatContact usMarka Ad?HanyiÜretim YeriChinaMinimum Sipari? Miktar?1Ödeme ?artlar?T/T,L/C,D/PTedarik Kapsam?1000Teslimat Detay?3days7days		
Üretim YeriChinaMinimum Sipari? Miktar?1Ödeme ?artlar?T/T,L/C,D/PTedarik Kapsam?1000	Fiyat	Contact us
Minimum Sipari? Miktar? 1 Ödeme ?artlar? T/T,L/C,D/P Tedarik Kapsam? 1000	Marka Ad?	Hanyi
Ödeme ?artlar? T/T,L/C,D/P Tedarik Kapsam? 1000	Üretim Yeri	China
Tedarik Kapsam? 1000	Minimum Sipari? Miktar?	1
	Ödeme ?artlar?	T/T,L/C,D/P
Teslimat Detay? 3days7days	Tedarik Kapsam?	1000
	Teslimat Detay?	3days7days
Paketleme Detaylar? Wooden case or wooden pellets depended on clients' require	Paketleme Detaylar?	Wooden case or wooden pellets depended on clients' require

Detayl? Tan?m : Brief description

The weight grading and sorting machine is also called the weight sorting machine. It is an equipment that performs weight screening of products of different sizes and weights by weight, and classifies the weighed products according to different weight ranges.

Weight grading and sorting machine, also called weight sorting machine, is a device that screens products of different sizes and weights by weight, and classifies the weighed products according to different weight ranges.

Scope of application

1. Classification of dry goods: all kinds of dried tremella, fish maw, fish maw, sea cucumber,

abalone.... The products are classified according to the weight range.

2. Classification of aquatic products: all kinds of seafood products, fish, shrimp, crab, sea cucumber, abalone products are classified according to the weight range.

3. Classification of poultry and meat products: chicken legs, chicken wings, chicken feet, duck legs, duck wings, and viscera products are classified according to different weight ranges.

4. Weight classification of industrial products: weight classification of motor rotors, synthetic diamonds, auto parts and other products.

Technical parameters

Mode: HYCW-1200-7D (multi-level sorting)	Weighing range: 10?1200g
Highest sorting accuracy: ± 0.3g	Belt speed: MAX.118m/min
Throughput: MAX.60-100 times/min	Operating height: 800mm±50mm (adjustable, customizable)
Belt size:	Highest accuracy:
400mm*220mm(L*W)	0.1g
Conveyor belt height:	
Conveyor beit neight.	Operating temperature:
650?750mm	-5?40? (Celsius ambient temperature)



Standard interface: RS232.TCP/IP(Optional), Static I/O(2*I,8*O). RS485/422(Optional)	Protection class: IP33/IP54/IP65
Power supply voltage:	Body Material:
AC220V ±10%,50Hz/60Hz	Stainless Steel 304 Polished
Sorting device:	Combined machines:
Push rod type, air blowing type,	Printers, inkjet printers, labeling machines, metal
and lever type are optional.	detectors, etc.
9Demarks	

?Remarks:

According to the dimensions of the tested product and the working environment in which the equipment operates, the detection speed and measurement accuracy are also slightly different.