

Automatic Flat Surface Paging Labeling Machine For Multiple Specifications Of Double Side Labeling

Özellikler :

Fiyat	Contact Us
Marka Ad?	Hanyi
Üretim Yeri	Shanghai, China
Minimum Sipari? Miktar?	1 set
Ödeme ?artlar?	T/T
Teslimat Detay?	5 days - 20 days
Paketleme Detaylar?	Standard export wooden case or carton box

Detayl? Tan?m :

Specification

Label speed:4 0-60 pieces/min (related to material and label size)

Label size: (L) 20-300mm (H) 10-180mm

Applicable label roll inner diameter: ?76mm

Machine size: (L) 2400X (W) 1400X (H) 1700 (mm)

Labeling accuracy: ± 1.0 mm (excluding material and label size)

Material size: (W) 20-200mm (H) 40-300mm

Applicable label roll outer diameter: maximum ?350mm

Power consumption: AC220V 50Hz/60Hz 1200W



Main performance and characteristics:

- ? Suitable for automatic double-sided labeling of flat, square and round bottle products in food, medicine, daily chemical and other light industries.
- ? One machine with multiple functions, equipped with Siemens plc touch screen, Siemens servo motor and servo driver, and suitable for square and flat bottles. It can be used as a stand-alone device, but also can be used on-line.
- ? Advanced and friendly man-machine interface system, simple and intuitive operation, complete functions, with rich online help functions.
- ? One machine can complete four types (square bottle, flat bottle, round bottle, special-shaped bottle), multiple specifications of double side labeling.
- ? Designed for flat, square and other surface irregularities and curved bottles to ensure labeling accuracy and effect.
- ? Double-sided chain correction device to ensure the neutrality of the bottle.
- ? Special elastic top pressure device to ensure the stability of the bottle body.
- ? More configuration options? Sync hot coding machine, complete coding and labeling simultaneously.
- ? Transparent label sensor.



Shanghai Hanyi Engineering Equipment Company is an experienced manufacturer of labeling machines and solutions in China.