

# Scan Code Weighing Machine

## Spesifikasi :

Harga	Contact us
Nama Brand	Hanyi
Tempat Asal	China
Min.Jumlah Pemesanan	1
Syarat Pembayaran	L/C, T/T, Paypal
Kapasitas Supply	1000
Detail Pengiriman	3days--7days

## Detail Pengenalan :

### Brief description

Scanning and weighing all-in-one machine can effectively solve the application of online inspection of various sizes of cartons, packages, bottles, cans, bags, etc.

Whether the weight of the product can be weighed is qualified, it can detect the right or wrong of the relevant production record files of the product and make statistical management, and can optionally print various self-adhesive labels.

Our scan code weighing machine is made of stainless steel, with good waterproof and anti-corrosion. It is equipped with a food-grade conveyor belt, which can store data and connect to the ERP management system. It saves time and effort, and has high efficiency.

**Model:** HY-SC200 all-in-one machine



### Scanning Weighing Machine for High-Performance Checkweighing

Our high-performance checkweigher helps prevent under- or over-filled products from reaching consumers. In addition, it reduces product waste and rework time, performs integrity checks on packaging components, and provides critical production data to improve processes.

#### Technical parameters

Model	HY-SC200
Maximum range g	200
Minimum display g	0.01

Accuracy g (*)	±0.1
Throughput* (bottles/min)	30
Weighing belt width (mm)	95
Weighing belt length (mm)	200
Input length (mm)	400
Output length (mm)	300
Production line height (mm)	H=850±50mm (can be customized)
Conveying Direction (Face to Display)	From left to right (can be customized)
Rejection method	Air blow rejection
Base rack	Stainless steel
Conveying roller	Anodized aluminum alloy
Conveying table top structural parts	Anodized aluminum alloy
Conveyor Belt	Wear-resistant PU
Electric control cabinet	Stainless steel wire drawing treatment
Anchor bolts	Height adjustment: ±50 mm
<b>Standard configuration</b>	
Wind shield	Transparent acrylic (product height 35 mm)
Collection device	Transparent acrylic
<b>Scan code configuration</b>	
Scan code collection speed	60tps
Image Sensor	838*640CMOS chip
Status output	5 pcs status LEDs and buzzer
Decoding performance	one-dimensional barcode, two-dimensional code